

Multi-Agent Programming

– Environment –

O. Boissier

Univ. Lyon, IMT Mines Saint-Etienne, LaHC UMR CNRS 5516, France

CPS2 M1 – Fall 2020



Multi-Agent Oriented Programming

Agent working environment: concepts and approaches

Outline


Fundamentals

Existing approaches

Back to the Notion of Environment in MAS

- ▶ The notion of environment is intrinsically related to the notion of agent and multi-agent system
 - ▶ **“An agent is a computer system that is situated in some environment and that is capable of autonomous action in this environment in order to meet its design objective”** [Wooldridge, 2002]
 - ▶ **“An agent is anything that can be viewed as perceiving its environment through sensors and acting upon the environment through effectors. ”** [Russell and Norvig, 2003]
- ▶ Including both physical and software environments

Single Agent Perspective




▶ Perception

- ▶ process inside agent inside of attaining awareness or understanding sensory information, creating percepts perceived form of external stimuli or their absence

▶ Actions

- ▶ the means to affect, change or inspect the environment

Multi-Agent Perspective



- ▶ In evidence
 - ▶ overlapping spheres of visibility and influence
 - ▶ ..which means: **interaction**

Why Environment Programming

- ▶ **Basic** level

- ▶ to create testbeds for real/external environments
- ▶ to ease the interface/interaction with existing software environments

- ▶ **Advanced** level

- ▶ to uniformly **encapsulate** and **modularise** functionalities of the MAS out of the agents
 - ▶ typically related to interaction, coordination, organisation, security
 - ▶ **externalisation**
- ▶ this implies changing the perspective on the environment
 - ▶ environment as a **first-class abstraction** of the MAS
 - ▶ **endogenous** environments (vs. exogenous ones)
 - ▶ **programmable** environments

Environment Programming: General Issues

- ▶ Defining the interface
 - ▶ actions, perceptions
 - ▶ data-model
- ▶ Defining the environment computational model & architecture
 - ▶ how the environment works
 - ▶ structure, behaviour, topology
 - ▶ core aspects to face: concurrency, distribution
- ▶ Defining the environment programming model
 - ▶ how to program the environment

Outline

Fundamentals

Existing approaches

Basic Level

Advanced Level

Outline


Fundamentals

Existing approaches

Basic Level

Advanced Level

Basic Level Overview



Basic Level: Features

- ▶ Environment conceptually conceived as a single monolithic block
 - ▶ providing actions, generating percepts
- ▶ Environment API
 - ▶ to define the set of actions and program actions computational behaviour
 - ▶ which include the generation of percepts
 - ▶ typically implemented using as single object/class in OO such as Java
 - ▶ method to execute actions
 - ▶ fields to store the environment state
 - ▶ available in many agent programming languages/frameworks
 - ▶ e.g., Jason, 2APL, GOAL, JADEX

Example (continued): MARS Environment in *Jason*

```
public class MarsEnv extends Environment {
    private MarsModel model;
    private MarsView view;

    public void init(String[] args) {
        model = new MarsModel();
        view = new MarsView(model);
        model.setView(view);
        updatePercepts();
    }

    public boolean executeAction(String ag, Structure action) {
        String func = action.getFunc();
        if (func.equals("next")) {
            model.nextSlot();
        } else if (func.equals("move_towards")) {
            int x = (int)((NumberTerm)action.getTerm(0)).solve();
            int y = (int)((NumberTerm)action.getTerm(1)).solve();
            model.moveToTowards(x,y);
        } else if (func.equals("pick")) {
            model.pickGarb();
        } else if (func.equals("drop")) {
            model.dropGarb();
        } else if (func.equals("burn")) {
            model.burnGarb();
        } else {
            return false;
        }
    }

    updatePercepts();
    return true;
}
...
```

```
...

/* creates the agents perception
 * based on the MarsModel */
void updatePercepts() {

    clearPercepts();

    Location r1Loc = model.getAgPos(0);
    Location r2Loc = model.getAgPos(1);

    Literal pos1 = Literal.parseLiteral
        ("pos(r1," + r1Loc.x + "," + r1Loc.y + ")");
    Literal pos2 = Literal.parseLiteral
        ("pos(r2," + r2Loc.x + "," + r2Loc.y + ")");

    addPercept(pos1);
    addPercept(pos2);

    if (model.hasGarbage(r1Loc)) {
        addPercept(Literal.parseLiteral("garbage(r1)"));
    }

    if (model.hasGarbage(r2Loc)) {
        addPercept(Literal.parseLiteral("garbage(r2)"));
    }
}

class MarsModel extends GridWorldModel { ... }

class MarsView extends GridWorldView { ... }
}
```

Example (continued): *Jason* Agents Playing on Mars

```
// mars robot 1

/* Initial beliefs */

at(P) :- pos(P,X,Y) & pos(r1,X,Y).

/* Initial goal */

!check(slots).

/* Plans */

+!check(slots) : not garbage(r1)
  <- next(slot);
  !!check(slots).
+!check(slots).

+garbage(r1) : not .desire(carry_to(r2))
  <- !carry_to(r2).

+!carry_to(R)
  <- // remember where to go back
  ?pos(r1,X,Y);
  -+pos(last,X,Y);

  // carry garbage to r2
  !take(garb,R);

  // goes back and continue to check
  !at(last);
  !!check(slots).

...

```

```
...

+!take(S,L) : true
  <- !ensure_pick(S);
  !at(L);
  drop(S).

+!ensure_pick(S) : garbage(r1)
  <- pick(garb);
  !ensure_pick(S).
+!ensure_pick(_).

+!at(L) : at(L).
+!at(L) <- ?pos(L,X,Y);
  move_towards(X,Y);
  !at(L).

```

Another Example: **2APL** [Dastani, 2008]

- ▶ 2APL
 - ▶ BDI-based agent-oriented programming language integrating declarative programming constructs (beliefs, goals) and imperative style programming constructs (events, plans)
- ▶ Java-based Environment API
 - ▶ `Environment` base class
 - ▶ implementing actions as methods
 - ▶ inside action methods external events can be generated to be perceived by agents as percepts

Example: Block-world Environment in 2APL

```
package blockworld;

public class Env extends apapl.Environment {

    public void enter(String agent, Term x, Term y, Term c){...}

    public Term sensePosition(String agent){...}

    public Term pickup(String agent){...}

    public void north(String agent){...}

    ...

}
```

2APL Agents in the block-world

```
BeliefUpdates:
{ bomb(X,Y) }      RemoveBomb(X,Y){ not bomb(X,Y) }
{ true }          AddBomb(X,Y)   { bomb(X,Y) }
{ carry(bomb) }   Drop( )        { not carry(bomb)}
{ not carry(bomb) } Pickup( )    { carry(bomb) }

Beliefs:
start(0,1).
bomb(3,3).
clean( blockWorld ) :-
    not bomb(X,Y) , not carry(bomb).

Plans:
B(start(X,Y)) ;
@blockworld( enter( X, Y, blue ), L )

Goals:
clean( blockWorld )



PG-rules:
clean( blockWorld ) <- bomb( X, Y ) |
{
    goto( X, Y );
    @blockworld( pickup( ), L1 );
    Pickup( );
    RemoveBomb( X, Y );
    goto( 0, 0 );
    @blockworld( drop( ), L2 );
    Drop( )
}
...

...
PC-rules:
goto( X, Y ) <- true |
{
    @blockworld( sensePosition(), POS );
    B(POS = [A,B]);
    if B(A > X) then
    { @blockworld( west(), L );
      goto( X, Y )
    }
    else if B(A < X) then
    { @blockworld( east(), L );
      goto( X, Y )
    }
    else if B(B > Y) then
    { @blockworld( north(), L );
      goto( X, Y )
    }
    else if B(B < Y) then
    { @blockworld( south(), L );
      goto( X, Y )
    }
}
...
}
```

Environment Interface Standard – EIS Initiative

- ▶ Recent initiative supported by main APL research groups [Behrens et al., 2010]
 - ▶ GOAL, 2APL, GOAL, JADEX, JASON
- ▶ Goal of the initiative
 - ▶ design and develop a generic environment interface standard
 - ▶ a standard to connect agents to environments
 - ▶ ... environments such as agent testbeds, commercial applications, video games..
- ▶ Principles
 - ▶ wrapping already existing environments
 - ▶ creating new environments by connecting already existing apps
 - ▶ creating new environments from scratch
- ▶ Requirements
 - ▶ generic
 - ▶ reuse

EIS Meta-Model



- ▶ By means of the Env. Interface agents perform actions and collect percepts
 - ▶ actually actions/percepts are issued to controllable entities in environment model
 - ▶ represent the agent bodies, with effectors and sensors

Environment Interface Features

- ▶ Interface functions
 - ▶ attaching, detaching, and notifying observers (software design pattern);
 - ▶ registering and unregistering agents;
 - ▶ adding and removing entities;
 - ▶ managing the agents-entities-relation;
 - ▶ performing actions and retrieving percepts;
 - ▶ managing the environment
- ▶ Interface Intermediate language
 - ▶ to facilitate data-exchange
 - ▶ encoding percepts, actions, events

Outline

Fundamentals

Existing approaches

Basic Level

Advanced Level

Advanced Level Overview


- ▶ Vision: environment as a **first-class abstraction** in MAS [Weyns et al., 2007, Ricci et al., 2010]
 - ▶ **application** or **endogenous** environments, i.e. that environment which is an explicit part of the MAS
 - ▶ providing an exploitable **design** & **programming** abstraction to build MAS applications
- ▶ Outcome
 - ▶ distinguishing clearly between the responsibilities of agent and environment
 - ▶ separation of concerns
 - ▶ improving the engineering practice

Three Support Levels [Weyns et al., 2007]

- ▶ Basic **interface** support
- ▶ **Abstraction** support level
- ▶ **Interaction-mediation** support level


Basic Interface Support

- ▶ The environment enables agents to access the deployment context
 - ▶ i.e. the hardware and software and external resources with which the MAS interacts




Abstraction Support

- ▶ Bridges the conceptual gap between the agent abstraction and low-level details of the deployment context
 - ▶ shields low-level details of the deployment context



Interaction-Mediation Support

- ▶ **Regulate** the access to shared resources
- ▶ **Mediate** interaction between agents



Environment Definition Revised

Environment definition revised [Weyns et al., 2007]

The environment is a first-class abstraction that provides the surrounding conditions for agents to exist and that mediates both the interaction among agents and the access to resources

Research on Environments for MAS

- ▶ Environments for Multi-Agent Systems research field / **E4MAS** workshop series [Weyns et al., 2005]
 - ▶ different themes and issues (see JAAMAS Special Issue [Weyns and Parunak, 2007] for a good survey)
 - ▶ mechanisms, architectures, infrastructures, applications [Platon et al., 2007, Weyns and Holvoet, 2007, Weyns and Holvoet, 2004, Viroli et al., 2007]
 - ▶ the main perspective is (agent-oriented) software engineering
- ▶ In MAOP, role of the environment abstraction in **MAS programming**
 - ▶ **environment programming**

Environment Programming

- ▶ Environment as **first-class programming abstraction** [Ricci et al., 2010]
 - ▶ software designers and engineers perspective
 - ▶ **endogenous** environments (vs. exogenous one)
 - ▶ programming MAS =
programming Agents + programming Environment
 - ▶ ..but this will be extended to include OOP in next part
- ▶ Environment as **first-class runtime abstraction** for agents
 - ▶ agent perspective
 - ▶ to be observed, used, adapted, constructed, ...
- ▶ Defining computational and programming frameworks/models also for the environment part

Computational Frameworks for Environment Programming: Issues

- ▶ Defining the environment interface
 - ▶ actions, percepts, data model
 - ▶ **contract** concept, as defined in software engineering contexts (Design by Contract)
- ▶ Defining the environment computational model
 - ▶ environment structure, behaviour
- ▶ Defining the environment distribution model
 - ▶ topology

Programming Models for the Environment: Desiderata

▶ **Abstraction**

- ▶ keeping the agent abstraction level e.g. no agents sharing and calling OO objects
- ▶ effective programming models for controllable and observable computational entities

▶ **Modularity**

- ▶ away from the monolithic and centralised view

▶ **Orthogonality**

- ▶ wrt agent models, architectures, platforms
- ▶ support for heterogeneous systems

▶ **Dynamic extensibility**

- ▶ dynamic construction, replacement, extension of environment parts
- ▶ support for open systems

▶ **Reusability**

- ▶ reuse of environment parts for different kinds of applications

Existing Computational Frameworks

- ▶ AGRE / AGREEN / MASQ [Stratulat et al., 2009]
 - ▶ AGRE – integrating the AGR (Agent-Group-Role) organisation model with a notion of environment
 - ▶ Environment used to represent both the physical and social part of interaction
 - ▶ AGREEN / MASQ – extending AGRE towards a unified representation for physical, social and institutional environments
 - ▶ Based on MadKit platform [Gutknecht and Ferber, 2000]
- ▶ GOLEM [Bromuri and Stathis, 2008]
 - ▶ Logic-based framework to represent environments for situated cognitive agents
 - ▶ composite structure containing the interaction between cognitive agents and objects
- ▶ A&A and CArtAgO [Ricci et al., 2010]
 - ▶ introducing a computational notion of artifact to design and implement agent environments

Bibliography I



Behrens, T., Bordini, R., Braubach, L., Dastani, M., Dix, J., Hindriks, K., Hübner, J., and Pokahr, A. (2010).

An interface for agent-environment interaction.

In In Proceedings of International Workshop on Programming Multi-Agent Systems (ProMAS-8).



Bordini, R., Hübner, J., and Wooldridge, M. (2007).

Programming Multi-Agent Systems in AgentSpeak Using Jason.
Wiley-Interscience.



Bromuri, S. and Stathis, K. (2008).

Situating Cognitive Agents in GOLEM.

In Weyns, D., Brueckner, S., and Demazeau, Y., editors, Engineering Environment-Mediated Multi-Agent Systems, volume 5049 of LNCS, pages 115–134. Springer Berlin / Heidelberg.



Dastani, M. (2008).

2APL: a practical agent programming language.

Autonomous Agent and Multi-Agent Systems, 16(3):214–248.

Bibliography II



Gutknecht, O. and Ferber, J. (2000).

The MADKIT agent platform architecture.

In Agents Workshop on Infrastructure for Multi-Agent Systems, pages 48–55.



Platon, E., Mamei, M., Sabouret, N., Honiden, S., and Parunak, H. V. (2007).

Mechanisms for environments in multi-agent systems: Survey and opportunities.

Autonomous Agents and Multi-Agent Systems, 14(1):31–47.



Ricci, A., Piunti, M., and Viroli, M. (2010).

Environment programming in multi-agent systems – an artifact-based perspective.

Autonomous Agents and Multi-Agent Systems.

Published Online with ISSN 1573-7454 (will appear with ISSN 1387-2532).



Russell, S. and Norvig, P. (2003).

Artificial Intelligence, A Modern Approach (2nd ed.).

Prentice Hall.

Bibliography III



Stratulat, T., Ferber, J., and Tranier, J. (2009).
MASQ: towards an integral approach to interaction.
In *AAMAS (2)*, pages 813–820.



Viroli, M., Holvoet, T., Ricci, A., Schelfhout, K., and Zambonelli, F. (2007).
Infrastructures for the environment of multiagent systems.
Autonomous Agents and Multi-Agent Systems, 14(1):49–60.



Weyns, D. and Holvoet, T. (2004).
A formal model for situated multi-agent systems.
Fundamenta Informaticae, 63(2-3):125–158.



Weyns, D. and Holvoet, T. (2007).
A reference architecture for situated multiagent systems.
In *Environments for Multiagent Systems III*, volume 4389 of *LNCS*, pages
1–40. Springer Berlin / Heidelberg.



Weyns, D., Omicini, A., and Odell, J. J. (2007).
Environment as a first-class abstraction in multi-agent systems.
Autonomous Agents and Multi-Agent Systems, 14(1):5–30.

Bibliography IV



Weyns, D. and Parunak, H. V. D., editors (2007).

Special Issue on Environments for Multi-Agent Systems, volume 14 (1) of *Autonomous Agents and Multi-Agent Systems*. Springer Netherlands.



Weyns, D., Parunak, H. V. D., Michel, F., Holvoet, T., and Ferber, J. (2005).

Environments for multiagent systems: State-of-the-art and research challenges.

In Weyns, D., Parunak, H. V. D., Michel, F., Holvoet, T., and Ferber, J., editors, *Environment for Multi-Agent Systems*, volume 3374, pages 1–47. Springer Berlin / Heidelberg.



Wooldridge, M. (2002).

An Introduction to Multi-Agent Systems.

John Wiley & Sons, Ltd.